



TEXAS DEPARTMENT OF LICENSING & REGULATION

Regulatory Program Management Division • PO Box 12157 • Austin, Texas 78711 • (512) 463-6599

www.tdlr.texas.gov

Boiler Equipment Report of Inspection

PURSUANT TO CHAPTER 755, HEALTH AND SAFETY CODE, 16 TX ADMINISTRATIVE CODE, CHAPTER 65, AND OCCUPATIONS CODE CHAPTER 51

TX# * TX174335	* <input type="checkbox"/> 1ST INSPECTION <input checked="" type="checkbox"/> SUBSEQUENT	<input checked="" type="checkbox"/> INTERNAL <input type="checkbox"/> EXTERNAL <input type="checkbox"/> NON-CERTIFICATE	STATUS: * <input checked="" type="checkbox"/> ACTIVE <input type="checkbox"/> DISCONNECTED IN PLACE <input type="checkbox"/> EXEMPT <input type="checkbox"/> JUNKED <input type="checkbox"/> DISPOSITION UNKNOWN	<input checked="" type="checkbox"/> NEW <input type="checkbox"/> 2ND HAND
-------------------	---	--	---	--

IDENTIFIED BY: * <input checked="" type="checkbox"/> DECAL <input type="checkbox"/> STAMP <input type="checkbox"/> TAG	VARIANCE: * <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	TEXAS SPECIAL: * <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
--	---	--

PHYSICAL ADDRESS <small>(if the physical address has changed a first inspection is required)</small>	OWNER ADDRESS	MAILING ADDRESS
---	---------------	-----------------

NAME * Schneider Banks	NAME Schneider Banks	NAME Schneider Banks
----------------------------------	--------------------------------	--------------------------------

(Address 1) * 1108 Commercial St	(Address 1) 1108 Commercial St	(Address 1) 1108 Commercial St
--	--	--

(City, State, Zip) * Athens, TX 75751-8801	(City, State, Zip) Athens, TX 75751-8801	(City, State, Zip) Athens, TX 75751-8801
--	--	--

LOCATION PHONE:	OWNER PHONE: (903)675-1440	CONTACT NAME: Diane Percy
-----------------	-----------------------------------	----------------------------------

OBJECT LOCATION: * Boiler Room	OWNER EMAIL: diane@sbifinishing.com	CONTACT PHONE: (903)675-1440
--	--	-------------------------------------

MANUFACTURER * Williams & Davis	NAT'L BOARD # 007481	SERIAL NUMBER 7481	MFGR MODEL # 780
---	--------------------------------	------------------------------	----------------------------

Boiler MAWP *	YEAR BUILT *	INTERVAL *	BLR TYPE *	BLR USE *	HEATING SURFACE	CAP (GAL)	MIN SRV	MAX STEAM	ASME STAMP *
150	1994	12	Fire Tube	Power	250		2100-LB/HR	2100-LB/HR	S

SAFETY RELIEF VALVE DATA			LOW WATER CUTOFF TYPE			FUEL *	BTU/HR INPUT
SET PRESSURE HIGHEST * 150	TOTAL CAP. * 2588	# OF SAFETIES 1	<input type="checkbox"/> PROBE TYPE	<input checked="" type="checkbox"/> FLOAT & CHAMBER	Natural Gas	2100000	BTU/HR OUTPUT
LOWEST * 150	<input type="checkbox"/> BTU/HR	<input checked="" type="checkbox"/> #/HR	<input type="checkbox"/> FLOW SWITCH	<input type="checkbox"/> OTHER _____			
			MAWP: 150				

EXPANSION TANK ASME * <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A	EXPANSION TANK MAWP	EXTERNAL PIPE ASME <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A
--	---------------------	---

EXTENSION INSPECTION? <input type="checkbox"/> YES <input type="checkbox"/> NO	EXTENSION APPROVAL DATE (IF APPLICABLE)
--	---

Comments:

ITEM # - LAW/RULE	VIOLATION (ATTACH ADDITIONAL PAGES IF NECESSARY)
1 - 65.602	COND: Chimneys and/or vents do not conform to manufacturers recommendations. (continued on Supplemental Report...)
2 - 65.607(d)(1)(A)	COND: The boiler does not have a LWFCO or it has been rendered inoperative.
3 - 65.206(b)	COND: Flammable material or gasoline-powered equipment stored in boiler room (continued on Supplemental Report...)

See Supplemental Report for complete list of open violations

I HEREBY CERTIFY THAT THIS IS A TRUE REPORT AS A RESULT OF MY INSPECTION.

	2014	Travelers
SIGNATURE OF INSPECTOR	TX COMMISSION #	INSPECTION ORG.
Jeffery Clark		

Diane	08/28/2019
SIGNATURE OF INDIVIDUAL PRESENT AT INSPECTION *	DATE (MM/DD/YY) *

IS CONDITION OF OBJECT SUCH THAT A CERTIFICATE MAY BE ISSUED? *	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	(IF NO, EXPLAIN FULLY UNDER VIOLATIONS)
---	---	---



TEXAS DEPARTMENT OF LICENSING AND REGULATION

Licensing Division
(512) 463-6599 - (800) 803-9202
Fax (512) 475-2871 CSBoiler@TDLR.Texas.gov

Technical
(512) 539-5716
Boilers@TDLR.Texas.gov

P.O. Box 12157 - Austin, Texas 78711 - www.tdlr.texas.gov

Boiler Equipment Report of Inspection - Supplemental Report

TX # TX174335

Date: 08/28/2019

Location Name Schneider Banks

Object Address 1108 Commercial St, Athens, TX 75751-8801

Location On Site Boiler Room

Comments:

Remarks:

- 1 - 65.602 COND: Chimneys and/or vents do not conform to manufacturers recommendations.
- 2 - 65.607(d)(1)(A) COND: The boiler does not have a LWFCO or it has been rendered inoperative.
- 3 - 65.206(b) COND: Flammable material or gasoline-powered equipment stored in boiler room. Boiler room must have no flammable materials of any kind stored within the boiler room.

Name of Authorized/Deputy Inspector Jeffery Clark Signature 

Inspection Organization Travelers TX COMMISSION # 2014 Date 08/28/2019

Owner/Operator Schneider Banks Title General Mgr.
Name