Posting Requirements

For elevators, the certificate must be posted inside the car, or outside the car in the elevator lobby within 10 feet of the call button. Alternately, the certificate can be displayed in another area that is open to the public, but a plaque or notice indicating the location of the certificate must be posted in the elevator car or lobby. The letters on the notice must be at least 18-point font size. The notice must also state that the elevator is regulated by the Texas Department of Licensing and Regulation and list the Department's phone number, 800-803-9202, along with the building management's phone number. For escalators, the Certificate of Compliance must be posted in the escalator box. For other related equipment such as chairlifts or platform lifts, the certificate must be posted on the box containing the control circuitry.

The certificate below is designed to be cut out and displayed in a 5" x 7" frame.

Building Physical Location:

600 SOUTH TYLER STREET
AMARILLO TX 79101

JENNIFER L WEBBER
600 S TYLER ST STE 2201
AMARILLO TX 79101-2361

CERTIFICATE OF COMPLIANCE

For
Elevators, Escalators, and Related Equipment

Decal Number:
75952

Date of Inspection:
JULY 23 2025

Next Inspection Due:
JULY 23 2026

Building Number:	ELBI-2865
Building Name:	FBSW TOWER
Contact Person:	JENNIFER L WEBBER
Building Owner:	AMARILLO TOWER LIMITED
Equipment Description:	PASSENGER

Waivers / Delays: See Below **Inspector's License Number:** 20566

For information on waivers, delays, or violations found see: Website: www.tdlr.texas.gov/Elevator_SearchApp/

To report violations or complaints: Phone: 1-800-803-9202 Website: www.tdlr.texas.gov/Complaints/

THIS CERTIFICATE OF COMPLIANCE WAS ISSUED BY THE TEXAS DEPARTMENT OF LICENSING & REGULATION UNDER TEXAS HEALTH AND SAFETY CODE §754.016. THE ABOVE DESCRIBED EQUIPMENT HAS BEEN INSPECTED BY A CERTIFIED INSPECTOR AND FOUND TO BE IN COMPLIANCE EXCEPT FOR ANY DELAYS OR WAIVERS GRANTED BY THE EXECUTIVE DIRECTOR.

Date Signed: AUGUST 26 2025

Courtney Arbour
Executive Director

Elevator Inspection