

Posting Requirements

For elevators, the certificate must be posted inside the car, or outside the car in the elevator lobby within 10 feet of the call button. Alternately, the certificate can be displayed in another area that is open to the public, but a plaque or notice indicating the location of the certificate must be posted in the elevator car or lobby. The letters on the notice must be at least 18-point font size. The notice must also state that the elevator is regulated by the Texas Department of Licensing and Regulation and list the Department's phone number, 800-803-9202, along with the building management's phone number. For escalators, the Certificate of Compliance must be posted in the escalator box. For other related equipment such as chairlifts or platform lifts, the certificate must be posted on the box containing the control circuitry.

The certificate below is designed to be cut out and displayed in a 5" x 7" frame.

Building Physical Location:

7105 CORPORATE DRIVE
PLANO TX 75024

CAROL CAMPBELL
BANK OF AMERICA
7105 CORPORATE DR
PLANO TX 75024-4100

CERTIFICATE OF COMPLIANCE

For
**Elevators, Escalators,
and Related Equipment**

Decal Number:
25062

Date of Inspection:
JUNE 30 2011

Next Inspection Due:
JUNE 30 2012

Building Number: ELBI-18943
Building Name: BANK OF AMERICA - BUILDING C
Contact Person: CAROL CAMPBELL
Building Owner: BANK OF AMERICA
Equipment Description: PASSENGER

Waivers / Delays: See Below

Inspector's License Number: 20002

For information on waivers, delays, or violations found see: Website: www.license.state.tx.us/ElevatorSearch/

To report violations or complaints: Phone: 1-800-803-9202 Website: www.license.state.tx.us/complaintsOnline/

THIS CERTIFICATE OF COMPLIANCE WAS ISSUED BY THE TEXAS DEPARTMENT OF LICENSING & REGULATION UNDER TEXAS HEALTH AND SAFETY CODE §754.016. THE ABOVE DESCRIBED EQUIPMENT HAS BEEN INSPECTED BY A CERTIFIED INSPECTOR AND FOUND TO BE IN COMPLIANCE EXCEPT FOR ANY DELAYS OR WAIVERS GRANTED BY THE EXECUTIVE DIRECTOR.

Date Signed: JULY 25 2011



William H. Kuntz
Executive Director