



TEXAS DEPARTMENT OF LICENSING AND REGULATION

Licensing Division

P. O. Box 12157 • Austin, Texas 78711 • (512) 463-6599 • (800) 803-9202

Fax: (512) 475-2871 • Email: cs.elevators.escalators@tdlr.texas.gov • Web site: www.tdlr.texas.gov

NOTICE OF INSPECTION OVERDUE

CHARLES HIX
TUESDAY MORNING CORP HDQTRS
6250 LYNDON B JOHNSON FWY
DALLAS TX 75240-6321

Letter Date: 10/10/2014

Equipment Location:

TUESDAY MORNING CORPORATE HEADQUARTERS
TUESDAY MORNING CORPORATION HEADQUARTERS
6250 LBJ FREEWAY
DALLAS TX 75243

Equipment Decal #: 57811
Date of Last Inspection: 10/02/2013
Date Inspection Due: 10/02/2014

We have not received documentation that the required inspection has been completed for the above referenced elevator, escalator, or related equipment as required by § 754.019 of the Texas Health and Safety Code.

The information below will guide you in scheduling your inspection.

1. How do I schedule an inspection?

Contact your elevator inspector to schedule an inspection. You may go online at www.tdlr.texas.gov/LicenseSearch to find an Elevator Inspector registered with the Texas Department of Licensing and Regulation (TDLR).

2. When do I get a copy of the Inspection Report?

Your Inspector has five days from the inspection date to provide you with a copy of the report.

3. Who is responsible for mailing the Inspection Report with filing fees to TDLR?

The building owner is responsible for filing the report and submitting fees to TDLR - the owner or owner's agent must:

- **Review** - the Inspection Report to ensure that all contact information is completed and correct.
- **Sign** - the Inspection Report at the bottom with the current date.
- **Mail** - the Inspection Report with filing fee (\$20 per piece of equipment) not later than 30 days after the date of the inspection.
- **Display** - the Certificate of Compliance you receive from TDLR after filing your report.

IMPORTANT: Late fees will accrue if reports are filed more than 60 days after the inspection date.

4. What if the information on my inspection report is incomplete or wrong?

Contact your elevator inspector to complete or make any corrections to the inspection report - then file the corrected report and fees with TDLR.

If you need further assistance or have any questions, please contact our friendly Customer Service staff at (800) 803-9202 or email us at cs.elevators.escalators@tdlr.texas.gov