



14-101-0004 0000 0000

### Posting Requirements

For elevators, the certificate must be posted inside the car, or outside the car in the elevator lobby within 10 feet of the call button. Alternately, the certificate can be displayed in another area that is open to the public, but a plaque or notice indicating the location of the certificate must be posted in the elevator car or lobby. The letters on the notice must be at least 18-point font size. The notice must also state that the elevator is regulated by the Texas Department of Licensing and Regulation and list the Department's phone number, 800-803-9202, along with the building management's phone number. For escalators, the Certificate of Compliance must be posted in the escalator box. For other related equipment such as chairlifts or platform lifts, the certificate must be posted on the box containing the control circuitry.

**The certificate below is designed to be cut out and displayed in a 5" x 7" frame.**

**Building Physical Location:**

1901 EAST RD  
HOUSTON TX 77054

MICHELE HILDRETH  
UT MD ANDERSON CANCER CENTER  
6900 FANNIN ST UNIT 713  
HOUSTON TX 77030-3800

## CERTIFICATE OF COMPLIANCE

For  
**Elevators, Escalators,  
and Related Equipment**



Decal Number:  
**72423**

Date of Inspection:  
**OCTOBER 14 2023**

Next Inspection Due:  
**OCTOBER 14 2024**

**Building Number:** ELBI-35058  
**Building Name:** M D ANDERSON - SCRB4  
**Contact Person:** MICHELE HILDRETH  
**Building Owner:** UT MD ANDERSON CANCER CENTER  
**Equipment Description:** PASSENGER

**Waivers / Delays:** See Below

**Inspector's License Number:** 20474

For information on waivers, delays, or violations found see: **Website:** [www.tdlr.texas.gov/Elevator\\_SearchApp/](http://www.tdlr.texas.gov/Elevator_SearchApp/)

To report violations or complaints: **Phone:** 1-800-803-9202 **Website:** [www.tdlr.texas.gov/Complaints/](http://www.tdlr.texas.gov/Complaints/)

**THIS CERTIFICATE OF COMPLIANCE WAS ISSUED BY THE TEXAS DEPARTMENT OF LICENSING & REGULATION UNDER TEXAS HEALTH AND SAFETY CODE §754.016. THE ABOVE DESCRIBED EQUIPMENT HAS BEEN INSPECTED BY A CERTIFIED INSPECTOR AND FOUND TO BE IN COMPLIANCE EXCEPT FOR ANY DELAYS OR WAIVERS GRANTED BY THE EXECUTIVE**

Date Signed: NOVEMBER 10 2023

Mike Arismendez, Jr.  
Executive Director