

Posting Requirements

For elevators, the certificate must be posted inside the car, or outside the car in the elevator lobby within 10 feet of the call button. Alternately, the certificate can be displayed in another area that is open to the public, but a plaque or notice indicating the location of the certificate must be posted in the elevator car or lobby. The letters on the notice must be at least 18-point font size. The notice must also state that the elevator is regulated by the Texas Department of Licensing and Regulation and list the Department's phone number, 800-803-9202, along with the building management's phone number. For escalators, the Certificate of Compliance must be posted in the escalator box. For other related equipment such as chairlifts or platform lifts, the certificate must be posted on the box containing the control circuitry.

The certificate below is designed to be cut out and displayed in a 5" x 7" frame.

Building Physical Location:

600 GREEN OAKS BLVD
ARLINGTON TX 76018

DAVID GUILLORY
ARLINGTON ISD
1201 COLORADO LN
ARLINGTON TX 76015-1519

CERTIFICATE OF COMPLIANCE

For
**Elevators, Escalators,
and Related Equipment**

Decal Number:
46352

Date of Inspection:
FEBRUARY 18 2015

Next Inspection Due:
FEBRUARY 18 2016

Building Number: ELBI-15231
Building Name: ARLINGTON ISD - FERGUSON JUNIOR HIGH SCH
Contact Person: DAVID GUILLORY
Building Owner: ARLINGTON ISD
Equipment Description: PASSENGER

Waivers / Delays: See Below

Inspector's License Number: 409

For information on waivers, delays, or violations found see: Website: www.license.state.tx.us/ElevatorSearch/

To report violations or complaints: Phone: 1-800-803-9202 Website: www.license.state.tx.us/complaintsOnline/

THIS CERTIFICATE OF COMPLIANCE WAS ISSUED BY THE TEXAS DEPARTMENT OF LICENSING & REGULATION UNDER TEXAS HEALTH AND SAFETY CODE §754.016. THE ABOVE DESCRIBED EQUIPMENT HAS BEEN INSPECTED BY A CERTIFIED INSPECTOR AND FOUND TO BE IN COMPLIANCE EXCEPT FOR ANY DELAYS OR WAIVERS GRANTED BY THE EXECUTIVE DIRECTOR.

Date Signed: APRIL 07 2015



William H. Kuntz
Executive Director