



TEXAS DEPARTMENT OF LICENSING AND REGULATION

Licensing Division

P. O. Box 12157 • Austin, Texas 78711 • (512) 463-6599 • (800) 803-9202

Fax: (512) 475-2871 • Web site: www.tdlr.texas.gov

NOTICE OF ANNUAL INSPECTION

CHRIS MCCALLUM
1935 MEDICAL DISTRICT DR
DALLAS TX 75235

Letter Date: 11/20/2024

ELBI #: 45699

Equipment Decal #: 114302

Date of Last Inspection: 01/19/2024

Date Inspection Due: 01/19/2025

Equipment Location:

CHILDRENS HEALTH
CHILDRENS HOSPITAL SPECIALTY CENTER MOB
1300 CHILDRENS WAY
PROSPER TX 75078

Your annual inspection is due.

As required by Texas Health & Safety Code § 754.019, the elevator, escalator, or related equipment with the decal number referenced above must be inspected no later than 01/19/2025.

The information below will guide you in scheduling your inspection.

1. How do I schedule an inspection?

Contact your elevator inspector to schedule an inspection. You may go online at www.tdlr.texas.gov/LicenseSearch to find an Elevator Inspector registered with the Texas Department of Licensing and Regulation (TDLR).

2. When do I get a copy of the *Elevator Equipment Report of Inspection* (“Inspection Report”)?

Your elevator inspector has five days from the inspection date to provide you with a copy of the Inspection Report.

3. Who is responsible for obtaining and filing the Inspection Report with filing fees?

The building owner is responsible for obtaining the Inspection Report from the elevator inspector and for filing the Inspection Report and filing fees with TDLR. The owner or owner’s agent must:

- Verify all information on the Inspection Report regarding the owner, the building, and the building contact is completed and correct.
- Sign and date the Inspection Report with the current date.
- Mail the Inspection Report and filing fees (\$20 per piece of equipment) to TDLR not later than 30 days after the date of the inspection.
- Display the Certificate of Compliance you receive from TDLR after filing your Inspection Report and filing fees.

IMPORTANT: To avoid late filing fees, the Inspection Report must be filed within 60 days of the inspection date.

4. What if the information on my inspection report is incomplete or wrong?

Contact your elevator inspector to complete or make any corrections to the Inspection Report. File the corrected Inspection Report and filing fees with TDLR.

If you need further assistance or have any questions, please contact TDLR.