# TEXAS DEPARTMENT OF LICENSING AND REGULATION

**Regulatory Program Management - Industrialized Housing & Buildings Program**

*P.O. Box 12157 Austin, Texas 78711 • (512) 539-5735 • (800) 803-9202 • FAX (512) 539-5736*

*Email Address: ihbtech@tdlr.texas.gov Internet Address: www.tdlr.texas.gov*


## In-Plant Inspection – Form to Clear Deviations from Previous Inspections

***Do not complete this form if there are no deviations to clear from a previous inspection.***

**A.** **Inspector Reg. #IHI-** _____ **Inspection Date:** _____

**Page** _____ **of** _____ **Manufacturer Reg. #IHM-** _____

**B.** **In Section D of the Summary Report enter the number of units inspected to clear deviations from a previous inspection – make sure that the serial numbers of these units are listed in Section C of the Summary Report**

**C.** **List of Deviations Cleared**

**If a deviation from a previous inspection is corrected during the present inspection, then enter the following information:**

1. **The date of the previous inspection;**
2. **The item # of the report cleared;**
3. **The serial number (or numbers) cleared;**
4. **A description of the corrective action observed; and**
5. **The registration number of the inspector who observed the deviation originally (if different from current inspector)**
6. **Use continuation sheet on back of this form if more space is required.**

| Date of Previous Inspection | Deviation Item # | Serial Number | Corrective Action | Reg. #IHI- |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

**In-Plant – Form to Clear Deviations From Previous Inspections *(continued)*** **Inspection Date:** _____

**A. Page** _____ **of** _____ **Manufacturer Reg. #IHM-** _____

**C. List of Deviations Cleared *(Continued)***

| Date of Previous Inspection | Deviation Item # | Serial Number | Corrective Action | Reg. #IHI- |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |