

**FY 2010**

License Type	Pass	Fail	Tot	Rate	No Show
--------------	------	------	-----	------	---------

**SEP**

General Well Driller	4	2	6	66.67%	0
Water Well Driller	3	1	4	75.00%	0
Closed Loop Geothermal Well Driller	1	0	1	100.00%	0
Monitor Well Driller	3	0	3	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	6	1	7	85.71%	0
Single Phase Pump	4	2	6	66.67%	0
Three Phase Pump	1	0	1	100.00%	0
Line Shaft Turbine Pump	0	0	0	0.00%	0
Windmills, Hand Pump & Pump Jack	1	1	2	50.00%	0
<b>Total</b>	<b>23</b>	<b>7</b>	<b>30</b>	<b>76.67%</b>	<b>0</b>

**OCT**

General Well Driller	5	2	7	71.43%	1
Water Well Driller	3	3	6	50.00%	0
Closed Loop Geothermal Well Driller	1	2	3	33.33%	0
Monitor Well Driller	1	0	1	100.00%	1
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	9	1	10	90.00%	0
Single Phase Pump	2	2	4	50.00%	0
Three Phase Pump	6	0	6	100.00%	0
Line Shaft Turbine Pump	6	0	6	100.00%	0
Windmills, Hand Pump & Pump Jack	1	0	1	100.00%	0
<b>Total</b>	<b>34</b>	<b>10</b>	<b>44</b>	<b>77.27%</b>	<b>2</b>

**FY 2010**

License Type	Pass	Fail	Tot	Rate	No Show
--------------	------	------	-----	------	---------

**NOV**

General Well Driller	4	6	10	40.00%	0
Water Well Driller	4	2	6	66.67%	2
Closed Loop Geothermal Well Driller	1	0	1	100.00%	0
Monitor Well Driller	0	0	0	0.00%	1
Dewatering Well Driller	0	0	0	0.00%	0

**FY 2010**

<b>License Type</b>	<b>Pass</b>	<b>Fail</b>	<b>Tot</b>	<b>Rate</b>	<b>No Show</b>
General Pump	2	2	4	50.00%	1
Single Phase Pump	6	0	6	100.00%	1
Three Phase Pump	3	0	3	100.00%	1
Line Shaft Turbine Pump	1	1	2	50.00%	0
Windmills, Hand Pump & Pump Jack	2	0	2	100.00%	0
<b>Total</b>	<b>23</b>	<b>11</b>	<b>34</b>	<b>67.65%</b>	<b>6</b>

**First Quarter**

**FY 2010**

License Type	Pass	Fail	Tot	Rate	No Show
General Well Driller	13	10	23	56.52%	1
Water Well Driller	10	6	16	62.50%	2
Closed Loop Geothermal Well Driller	3	2	5	60.00%	0
Monitor Well Driller	4	0	4	100.00%	2
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	17	4	21	80.95%	1
Single Phase Pump	12	4	16	75.00%	1
Three Phase Pump	10	0	10	100.00%	1
Line Shaft Turbine Pump	7	1	8	87.50%	0
Windmills, Hand Pump & Pump Jack	4	1	5	80.00%	0
<b>Total</b>	<b>80</b>	<b>28</b>	<b>108</b>	<b>74.07%</b>	<b>8</b>

**DEC**

General Well Driller	7	2	9	77.78%	0
Water Well Driller	2	6	8	25.00%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	1	0	1	100.00%	1
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	7	2	9	77.78%	0
Single Phase Pump	6	1	7	85.71%	0
Three Phase Pump	3	2	5	60.00%	0
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	3	0	3	100.00%	0
<b>Total</b>	<b>30</b>	<b>13</b>	<b>43</b>	<b>69.77%</b>	<b>1</b>

**JAN**

General Well Driller	2	1	3	66.67%	0
Water Well Driller	2	3	5	40.00%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	4	3	7	57.14%	0
Single Phase Pump	5	1	6	83.33%	0
Three Phase Pump	4	1	5	80.00%	0
Line Shaft Turbine Pump	1	1	2	50.00%	0
Windmills, Hand Pump & Pump Jack	1	1	2	50.00%	0
<b>Total</b>	<b>20</b>	<b>11</b>	<b>31</b>	<b>64.52%</b>	<b>0</b>

**FEB**

General Well Driller	3	2	5	60.00%	0
Water Well Driller	4	1	5	80.00%	1
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	0	1	1	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	4	2	6	66.67%	2
Single Phase Pump	1	0	1	100.00%	1
Three Phase Pump	1	0	1	100.00%	1
Line Shaft Turbine Pump	0	1	1	0.00%	1
Windmills, Hand Pump & Pump Jack	1	0	1	100.00%	0
<b>Total</b>	<b>14</b>	<b>7</b>	<b>21</b>	<b>66.67%</b>	<b>6</b>

**Second Quarter**

General Well Driller	12	5	17	70.59%	0
Water Well Driller	8	10	18	44.44%	1
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	2	1	3	66.67%	1
Dewatering Well Driller	0	0	0	0.00%	0

**FY 2010**

License Type	Pass	Fail	Tot	Rate	No Show
General Pump	15	7	22	68.18%	2
Single Phase Pump	12	2	14	85.71%	1
Three Phase Pump	8	3	11	72.73%	1
Line Shaft Turbine Pump	2	2	4	50.00%	1
Windmills, Hand Pump & Pump Jack	5	1	6	83.33%	0
<b>Total</b>	<b>64</b>	<b>31</b>	<b>95</b>	<b>67.37%</b>	<b>7</b>

**First Half**

General Well Driller	25	15	40	62.50%	1
Water Well Driller	18	16	34	52.94%	3
Closed Loop Geothermal Well Driller	3	2	5	60.00%	0
Monitor Well Driller	6	1	7	85.71%	3
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	32	11	43	74.42%	3
Single Phase Pump	24	6	30	80.00%	2
Three Phase Pump	18	3	21	85.71%	2
Line Shaft Turbine Pump	9	3	12	75.00%	1
Windmills, Hand Pump & Pump Jack	9	2	11	81.82%	0
<b>Total</b>	<b>144</b>	<b>59</b>	<b>203</b>	<b>70.94%</b>	<b>15</b>

**MAR**

General Well Driller	3	0	3	100.00%	0
Water Well Driller	2	0	2	100.00%	0
Closed Loop Geothermal Well Driller	1	0	1	100.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	5	1	6	83.33%	0
Single Phase Pump	5	0	5	100.00%	0
Three Phase Pump	3	0	3	100.00%	0
Line Shaft Turbine Pump	0	1	1	0.00%	0
Windmills, Hand Pump & Pump Jack			0	0.00%	0
<b>Total</b>	<b>20</b>	<b>2</b>	<b>22</b>	<b>90.91%</b>	<b>0</b>

**APR**

General Well Driller	5	1	6	83.33%	2
Water Well Driller	3	4	7	42.86%	1
Closed Loop Geothermal Well Driller	1	3	4	25.00%	0
Monitor Well Driller	2	1	3	66.67%	1
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	5	4	9	55.56%	1
Single Phase Pump	7	1	8	87.50%	0
Three Phase Pump	3	2	5	60.00%	0
Line Shaft Turbine Pump	1	1	2	50.00%	0
Windmills, Hand Pump & Pump Jack	1	0	1	100.00%	0
<b>Total</b>	<b>28</b>	<b>17</b>	<b>45</b>	<b>62.22%</b>	<b>5</b>

**MAY**

General Well Driller	4	1	5	80.00%	0
Water Well Driller	2	4	6	33.33%	0
Closed Loop Geothermal Well Driller	1	0	1	100.00%	0
Monitor Well Driller	2	0	2	100.00%	1
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	2	3	5	40.00%	0

**FY 2010**

License Type	Pass	Fail	Tot	Rate	No Show
Single Phase Pump	3	0	3	100.00%	0
Three Phase Pump	4	1	5	80.00%	0
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	1	1	2	50.00%	0
Total	20	10	30	66.67%	1

**Third Quarter**

General Well Driller	12	2	14	85.71%	2
Water Well Driller	7	8	15	46.67%	1
Closed Loop Geothermal Well Driller	3	3	6	50.00%	0
Monitor Well Driller	5	1	6	83.33%	2
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	12	8	20	60.00%	1
Single Phase Pump	15	1	16	93.75%	0
Three Phase Pump	10	3	13	76.92%	0
Line Shaft Turbine Pump	2	2	4	50.00%	0
Windmills, Hand Pump & Pump Jack	2	1	3	66.67%	0
Total	68	29	97	70.10%	6

**JUN**

General Well Driller	4	2	6	66.67%	0
Water Well Driller	2	4	6	33.33%	0
Closed Loop Geothermal Well Driller	2	2	4	50.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	3	0	3	100.00%	0
Single Phase Pump	3	0	3	100.00%	0
Three Phase Pump	3	0	3	100.00%	0
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	2	0	2	100.00%	0
Total	21	8	29	72.41%	0

**JUL**

General Well Driller	4	1	5	80.00%	0
Water Well Driller	1	3	4	25.00%	0
Closed Loop Geothermal Well Driller	2	0	2	100.00%	0
Monitor Well Driller	0	1	1	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	2	4	6	33.33%	1
Single Phase Pump	6	0	6	100.00%	2
Three Phase Pump	3	0	3	100.00%	0
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	1	0	1	100.00%	0
Total	20	9	29	68.97%	3

**AUG**

General Well Driller	6	1	7	85.71%	0
Water Well Driller	2	1	3	66.67%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	3	0	3	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	5	2	7	71.43%	0
Single Phase Pump	3	1	4	75.00%	0
Three Phase Pump	2	3	5	40.00%	1

**FY 2010**

License Type	Pass	Fail	Tot	Rate	No Show
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	1	2	3	33.33%	1
<b>Total</b>	<b>23</b>	<b>10</b>	<b>33</b>	<b>69.70%</b>	<b>2</b>

**Fourth Quarter**

General Well Driller	14	4	18	77.78%	0
Water Well Driller	5	8	13	38.46%	0
Closed Loop Geothermal Well Driller	4	2	6	66.67%	0
Monitor Well Driller	4	1	5	80.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	10	6	16	62.50%	1
Single Phase Pump	12	1	13	92.31%	2
Three Phase Pump	8	3	11	72.73%	1
Line Shaft Turbine Pump	3	0	3	100.00%	0
Windmills, Hand Pump & Pump Jack	4	2	6	66.67%	1
<b>Total</b>	<b>64</b>	<b>27</b>	<b>91</b>	<b>70.33%</b>	<b>5</b>

**Second Half**

General Well Driller	26	6	32	81.25%	2
Water Well Driller	12	16	28	42.86%	1
Closed Loop Geothermal Well Driller	7	5	12	58.33%	0
Monitor Well Driller	9	2	11	81.82%	2
Dewatering Well Driller	0	0	0	0.00%	0
General Pump	22	14	36	61.11%	2
Single Phase Pump	27	2	29	93.10%	2
Three Phase Pump	18	6	24	75.00%	1
Line Shaft Turbine Pump	5	2	7	71.43%	0
Windmills, Hand Pump & Pump Jack	6	3	9	66.67%	1
<b>Total</b>	<b>132</b>	<b>56</b>	<b>188</b>	<b>70.21%</b>	<b>11</b>

**Fiscal Year**

General Well Driller	51	21	72	70.83%	3
Water Well Driller	30	32	62	48.39%	4
Closed Loop Geothermal Well Driller	10	7	17	58.82%	0
Monitor Well Driller	15	3	18	83.33%	5
Dewatering Well Driller	0	0	0	0.00%	0
<b>Total Drillers</b>	<b>106</b>	<b>63</b>	<b>169</b>	<b>62.72%</b>	<b>12</b>
General Pump	54	25	79	68.35%	5
Single Phase Pump	51	8	59	86.44%	4
Three Phase Pump	36	9	45	80.00%	3
Line Shaft Turbine Pump	14	5	19	73.68%	1
Windmills, Hand Pump & Pump Jack	15	5	20	75.00%	1
<b>Total Pump Installers</b>	<b>170</b>	<b>52</b>	<b>222</b>	<b>76.58%</b>	<b>14</b>
<b>Total</b>	<b>276</b>	<b>115</b>	<b>391</b>	<b>70.59%</b>	<b>26</b>