

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
--------------	------	------	-----	------	---------

SEP

General Well Driller	4	1	5	80.00%	0
Water Well Driller	4	3	7	57.14%	1
Closed Loop Geothermal Well Driller	1	1	2	50.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	5	2	7	71.43%	1
Single Phase Pump	5	1	6	83.33%	0
Three Phase Pump	3	2	5	60.00%	0
Line Shaft Turbine Pump	1	1	2	50.00%	0
Windmills, Hand Pump & Pump Jack	3	0	3	100.00%	0
Total	27	11	38	71.05%	2

OCT

General Well Driller	2	5	7	28.57%	0
Water Well Driller	0	0	0	0.00%	0
Closed Loop Geothermal Well Driller	2	0	2	100.00%	0
Monitor Well Driller	3	0	3	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	4	3	7	57.14%	0
Single Phase Pump	5	1	6	83.33%	0
Three Phase Pump	2	1	3	66.67%	0
Line Shaft Turbine Pump	3	1	4	75.00%	0
Windmills, Hand Pump & Pump Jack	1	1	2	50.00%	0
Total	22	12	34	64.71%	0

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
--------------	------	------	-----	------	---------

NOV

General Well Driller	4	1	5	80.00%	0
Water Well Driller	2	1	3	66.67%	0
Closed Loop Geothermal Well Driller	1	2	3	33.33%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
General Pump	5	2	7	71.43%	0
Single Phase Pump	5	1	6	83.33%	0
Three Phase Pump	5	1	6	83.33%	0
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	2	0	2	100.00%	0
Total	26	8	34	76.47%	0

First Quarter

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
General Well Driller	10	7	17	58.82%	0
Water Well Driller	6	4	10	60.00%	1
Closed Loop Geothermal Well Driller	4	3	7	57.14%	0
Monitor Well Driller	5	0	5	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	14	7	21	66.67%	1
Single Phase Pump	15	3	18	83.33%	0
Three Phase Pump	10	4	14	71.43%	0
Line Shaft Turbine Pump	5	2	7	71.43%	0
Windmills, Hand Pump & Pump Jack	6	1	7	85.71%	0
Total	75	31	106	70.75%	2

DEC

General Well Driller	4	0	4	100.00%	0
Water Well Driller	4	6	10	40.00%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	4	1	5	80.00%	1
Single Phase Pump	6	0	6	100.00%	0
Three Phase Pump	3	3	6	50.00%	0
Line Shaft Turbine Pump	0	1	1	0.00%	0
Windmills, Hand Pump & Pump Jack	0	0	0	0.00%	0
Total	21	11	32	65.63%	1

JAN

General Well Driller	6	0	6	100.00%	0
Water Well Driller	7	4	11	63.64%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	4	2	6	66.67%	1
Single Phase Pump	5	0	5	100.00%	0
Three Phase Pump	1	0	1	100.00%	1
Line Shaft Turbine Pump	1	0	1	100.00%	0
Windmills, Hand Pump & Pump Jack	1	0	1	100.00%	0
Total	25	6	31	80.65%	2

FEB

General Well Driller	4	2	6	66.67%	0
Water Well Driller	4	1	5	80.00%	1
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	6	2	8	75.00%	0
Single Phase Pump	4	2	6	66.67%	1
Three Phase Pump	4	3	7	57.14%	0
Line Shaft Turbine Pump	1	1	2	50.00%	0
Windmills, Hand Pump & Pump Jack	1	0	1	100.00%	0
Total	24	11	35	68.57%	2

Second Quarter

General Well Driller	14	2	16	87.50%	0
Water Well Driller	15	11	26	57.69%	1
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
Injection Well Driller	0	0	0	0.00%	0
General Pump	14	5	19	73.68%	2
Single Phase Pump	15	2	17	88.24%	1
Three Phase Pump	8	6	14	57.14%	1
Line Shaft Turbine Pump	2	2	4	50.00%	0
Windmills, Hand Pump & Pump Jack	2	0	2	100.00%	0
Total	70	28	98	71.43%	5

First Half

General Well Driller	24	9	33	72.73%	0
Water Well Driller	21	15	36	58.33%	2
Closed Loop Geothermal Well Driller	4	3	7	57.14%	0
Monitor Well Driller	5	0	5	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	28	12	40	70.00%	3
Single Phase Pump	30	5	35	85.71%	1
Three Phase Pump	18	10	28	64.29%	1
Line Shaft Turbine Pump	7	4	11	63.64%	0
Windmills, Hand Pump & Pump Jack	8	1	9	88.89%	0
Total	145	59	204	71.08%	7

MAR

General Well Driller	1	0	1	100.00%	0
Water Well Driller	1	0	1	100.00%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	4	3	7	57.14%	0
Single Phase Pump	5	0	5	100.00%	0
Three Phase Pump	5	2	7	71.43%	1
Line Shaft Turbine Pump	1	2	3	33.33%	0
Windmills, Hand Pump & Pump Jack	4	1	5	80.00%	0
Total	22	8	30	73.33%	1

APR

General Well Driller	4	0	4	100.00%	0
Water Well Driller	4	1	5	80.00%	2
Closed Loop Geothermal Well Driller	1	0	1	100.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	2	1	3	66.67%	0
Single Phase Pump	2	1	3	66.67%	0
Three Phase Pump	1	0	1	100.00%	0
Line Shaft Turbine Pump	1	4	5	20.00%	1
Windmills, Hand Pump & Pump Jack	0	0	0	0.00%	0
Total	15	7	22	68.18%	3

MAY

General Well Driller	3	0	3	100.00%	0
Water Well Driller	1	2	3	33.33%	0
Closed Loop Geothermal Well Driller	1	0	1	100.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	3	0	3	100.00%	0

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
Single Phase Pump	1	0	1	100.00%	0
Three Phase Pump	2	0	2	100.00%	0
Line Shaft Turbine Pump	1	1	2	50.00%	0
Windmills, Hand Pump & Pump Jack	1	1	2	50.00%	0
Total	13	4	17	76.47%	0

Third Quarter

General Well Driller	8	0	8	100.00%	0
Water Well Driller	6	3	9	66.67%	2
Closed Loop Geothermal Well Driller	2	0	2	100.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	9	4	13	69.23%	0
Single Phase Pump	8	1	9	88.89%	0
Three Phase Pump	8	2	10	80.00%	1
Line Shaft Turbine Pump	3	7	10	30.00%	1
Windmills, Hand Pump & Pump Jack	5	2	7	71.43%	0
Total	50	19	69	72.46%	4

JUN

General Well Driller	3	1	4	75.00%	0
Water Well Driller	1	1	2	50.00%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	2	0	2	100.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	0	0	0	0.00%	0
General Pump	3	4	7	42.86%	1
Single Phase Pump	3	0	3	100.00%	0
Three Phase Pump	3	2	5	60.00%	0
Line Shaft Turbine Pump	3	1	4	75.00%	0
Windmills, Hand Pump & Pump Jack	2	0	2	100.00%	0
Total	20	9	29	68.97%	1

JUL

General Well Driller	5	0	5	100.00%	2
Water Well Driller	3	3	6	50.00%	0
Closed Loop Geothermal Well Driller	0	0	0	0.00%	0
Monitor Well Driller	1	0	1	100.00%	0
Dewatering Well Driller	1	1	2	50.00%	1
Injection Well Driller	0	0	0	0.00%	0
General Pump	6	5	11	54.55%	0
Single Phase Pump	3	3	6	50.00%	0
Three Phase Pump	3	2	5	60.00%	1
Line Shaft Turbine Pump	0	1	1	0.00%	0
Windmills, Hand Pump & Pump Jack	0	0	0	0.00%	1
Total	22	15	37	59.46%	5

AUG

General Well Driller	5	0	5	100.00%	1
Water Well Driller	4	2	6	66.67%	0
Closed Loop Geothermal Well Driller	0	1	1	0.00%	0
Monitor Well Driller	0	0	0	0.00%	0
Dewatering Well Driller	0	0	0	0.00%	0
Injection Well Driller	1	0	1	100.00%	0
General Pump	4	2	6	66.67%	2
Single Phase Pump	6	0	6	100.00%	1
Three Phase Pump	1	1	2	50.00%	1

FY 2011

License Type	Pass	Fail	Tot	Rate	No Show
Line Shaft Turbine Pump	0	0	0	0.00%	0
Windmills, Hand Pump & Pump Jack	2	0	2	100.00%	0
Total	23	6	29	79.31%	5

Fourth Quarter

General Well Driller	13	1	14	92.86%	3
Water Well Driller	8	6	14	57.14%	0
Closed Loop Geothermal Well Driller	0	1	1	0.00%	0
Monitor Well Driller	3	0	3	100.00%	0
Dewatering Well Driller	1	1	2	50.00%	1
Injection Well Driller	1	0	1	100.00%	0
General Pump	13	11	24	54.17%	3
Single Phase Pump	12	3	15	80.00%	1
Three Phase Pump	7	5	12	58.33%	2
Line Shaft Turbine Pump	3	2	5	60.00%	0
Windmills, Hand Pump & Pump Jack	4	0	4	100.00%	1
Total	65	30	95	68.42%	11

Second Half

General Well Driller	21	1	22	95.45%	3
Water Well Driller	14	9	23	60.87%	2
Closed Loop Geothermal Well Driller	2	1	3	66.67%	0
Monitor Well Driller	4	0	4	100.00%	0
Dewatering Well Driller	1	1	2	50.00%	1
Injection Well Driller	1	0	1	100.00%	0
General Pump	22	15	37	59.46%	3
Single Phase Pump	20	4	24	83.33%	1
Three Phase Pump	15	7	22	68.18%	3
Line Shaft Turbine Pump	6	9	15	40.00%	1
Windmills, Hand Pump & Pump Jack	9	2	11	81.82%	1
Total	115	49	164	70.12%	15

Fiscal Year

General Well Driller	45	10	55	81.82%	3
Water Well Driller	35	24	59	59.32%	4
Closed Loop Geothermal Well Driller	6	4	10	60.00%	0
Monitor Well Driller	9	0	9	100.00%	0
Dewatering Well Driller	1	1	2	50.00%	1
Injection Well Driller	1	0	1	100.00%	0
General Pump	50	27	77	64.94%	6
Single Phase Pump	50	9	59	84.75%	2
Three Phase Pump	33	17	50	66.00%	4
Line Shaft Turbine Pump	13	13	26	50.00%	1
Windmills, Hand Pump & Pump Jack	17	3	20	85.00%	1
Total	260	108	368	70.65%	22